

AD A11655

DTTC FILE COPY


HEADQUARTERS

BATA CONTROL NUMBER

OB NO / PROJECT NO

UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND

FORT MONROE, VIRGINIA 23651



B

DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered) READ INSTRUCTIONS
BEFORE COMPLETING FORM
3. RECIPIENT'S CATALOG NUMBER REPORT DOCUMENTATION PAGE 1. REPORT NUMBER 2. GOVT ACCESSION NO -A116551 676 S. TYPE OF REPORT & PERIOD COVERED 4. TITLE (and Subsitio) Word Criticality Analysis MOS: 676 6. PERFORMING ORG. REPORT NUMBER Skill Level: 142 CONTRACT OR GRANT HUMBER(+) 7. AUTHOREN Dr. Alexander A. Longo 9. PERFORMING ORGANIZATION NAME AND ADDRESS 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Training Developments Institute ATTN: ATTG-DOR FORT MODICE VA 23651 12. REPORT DATE Training Developments Institute ATTN: ATTG-DOR Fort Monroe, VA 23651

MONITORING AGENCY NAME & ADDRESS/II diliterati from Controlling Office) SECURITY CLASS. (of this report) Unclassified ISA DECLASSIFICATION/DOWNGRADING 16. DISTRIBUTION STATEMENT (of this Report) Approved for Public Release; Distribution is unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If different from Report) IS. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) MOS Vocabulary Readability Comprehension of text Curriculum Development 29. ABSTRACT (Cartimo as reverse alde If mesonary and identify by block number) This report contains terms selected as having some degree of criticality in the training/performance of tasks contained in the respective MOS Soldier's Manual (SM). These critical words were selected by subject matter/job experts

knowledgeable in their MOS. The vocabulary set used as the basis for critical word analysis was the Word Frequency Report based on the SM for the same MOS.

EDITION OF ! NOV 65 IS OBSOLETE DD , FORM 1473

UNCLASSIFIED
UNITY CLASSIFICATION OF THIS PAGE (Mines E

Contents and General Information


- 1. The Word Criticality Analysis (WCA) reports were reproduced exactly as generated via computer printout. The prime users of this document were fully cognizant of its contents and required no special instructions for interpretation. However, for the sake of other readers, the following brief description of contents is provided.
- 2. The WCA reports for most MOS are divided as follows:
 - o Skill Level I
 - o Skill Level II

However, due to the way some Soldier Manuals are constructed, the WCA for some MOS have both Skill Levels merged into one report. Each Skill Level is subdivided into two sections.

- a. Introductory these MOS critical words, identified by the code "TRN", represent terms unmatched on the master tape for that MOS. (Reasons for this include: words volunteered as critical; keypunching errors; updating master tapes per changes in SM, etc). NOTE: The number to the left of each critical word is its criticality index defined below.
- b. Main these MOS critical words are ranked alphabetically within a criticality index (defined below) that also is ranked from 1-5. The numbers to the right of the critical words represent the SM page on which that term appeared and its frequency of appearance. Example "222,4" is interpreted as: "4 times on page 222". NOTE: Due to computer programming/sort difficulties, the accuracy of correct page referencing is only approximately 80% for most reports. Improvements in programming and coding increased this accuracy to 95% in those reports completed last (i.e., dated Jan-Mar 82).

3. Word Criticality Index:

The following 5 point rating scale was used by a team of up to 3 subject matter experts from Army MOS proponent schools to rate each word selected as having some importance for training/performing a critical task:



HEADQUARTERS

UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND

FORT MONROE, VIRGINIA 23651

wcA

WORD CRIT - HOS-ekill level 1

| , | ; | | | | | | | | | | | | | |] |
|--------------|---------------------------|-------------------------|-------------------------|-------------------------|---|-------------------------|------------------|----------------|-------|----------------|----------------|---------|----------------|----------------|-------------|
| ur æn ingele | ••• • | ř | | | • | | | | | | • | | | 4114 | Spir. Phin. |
| ÷ | | | • | · | MOS KO | RD LIST | By PAGE | | | • | | DATE | 90339 ži | LÃO PAGE | 1 |
| | ARM | | 05,1 | • • • • | • . | | | - | | | | | | | |
| • | DISCONNECT | | +62/1 | 5.850 | e23a1 | +15,1 | +07.1 | en5.1 | -10-1 | s06.1 | e02/1 | 4912 | .78/1 | 4441 | |
| | •••• | 071/1 | | 430.2 | 1,650 | | 4 6,1 | | **** | ***** | | | | • | |
| | FOU | 70/2 | | | | | | | | | | | | M45-6 | ,76 |
| | 1HCH-POUND | 40721 78,1 | 405,1 | 401.1 | *10.1 | | | | | | | | | SKILL I | Leve |
| | SIP ACTUATORS | *49.2 | | | | * | | | • | | | | | J | |
| | ADJUST | | 044/1 | 443,1 | +27.2 | +06,1 | 430,1 | *22.1 | | | | | | | |
| | ANTISEIZE | | 15/1 | | | | | | | | * n. | | | | |
| | APPLICABLE | | 4 5/4 | 659,1 | 058.1 | +57.1 | +55,1 | 043,11 | | +27-1 | 105347 | 17/2 | •C5/1 | +33/1 | |
| | | 949,1 926,2 | *10/1 *25/1 | *08,1 *24,1 | *06.2 *22.1 | *04,2 *20,3 | 901,1 910,2 | 471,1 417,2 | * 7,1 | 467,1 | 085,1 086,1 | •67,2 | 031/1 | #2013 #8512 | |
| | | 484,2 | +83,2 | 442,1 | +77,2 | 471.1 | *69,1 | **** | 906/1 | 464/1 | 961/1 | +00,2 | . 4441.2 | 44.704 | |
| | ARCING | 30,1 | | | | | | | | | | | | | |
| | ASSEMBLE | 96,1 | | | • · · · · · · · · · · · · · · · · · · | | | | | | | · · · | | | |
| | BLADE | e57,1 | 43-1 | | | | , | | | | | | | | |
| | BRACKET | . 96.1 | 97,2 | | | | | | | | | | | | |
| | BUSHING | 1.504 | | | | | | | | | | | | | |
| | CALIBRATED CHAFING | 43,1 | | | 03,1 | .9.4 | | | | | | • | | | |
| | CHECKLIST | 491/1 | | | D**1 | 0"1_ | ?**.1 | | | | | | | | |
| , | CORROS1VE | 9, ī | , | | | | | | | | , | ` | | | |
| | COWL INGS | | 04+3 | 50.5 | 84.1 | | | | | | | · | | | |
| | CYLINDER DETERIORATION | | `*02,1`` 15,1 | - 401,4 | • | | | | | | | | | | |
| | DIAMETER | 56,1 | | | | | | | | | | | | | |
| | DISASSEHULE | +24,1 | 425,1 | | ***** | | | | | | | | | | |
| | DISSIMILAR | 9,1 | | | | | | | | | | | | | |
| | EMPENNAGE Extreme | 26,1 | 05,1 | 01,1 | ·- 5371 | - 51;[| 50.1 | | | | | | | | |
| | FILTER | | 0 4,2 | 54,1 | 53,4 | 52.3 | 51,9 | 94,17 | 93,12 | 92,7 | | | | | |
| | FIREWALL | | 67.1 | | | | | | | | | | | | |
| | FUSELAGE | 20,1 | | | | | | | | | | | | | |
| | GASKET. Generator | C3+1 | 95,1 45,1 | 05,1 | 61.5 | | | | | | | | | | |
| | - IGNITION | | ··· 29,2 | 28,7 | " C3,1 | 02,1 | · · · 01,1" | 10,4 | 99.7 | 90,7 | - "97.3" | 76.7 | 95010 | | •••• |
| | LEADS | | 29,1 | 28,2. | 06,1 | 05,2 | 02.1 | 5.50 | C3.1 | 02.1 | 00.2 | 99,4 | 18/6 | 99/1 | |
| | | 30,1 | 94.1 | 23,2 | | | | | | | | R1. i | | 44 | |
| | - FOCKAISE | 56,7 85,3 | 17,2 | 6376 | 06.1 | 05.3 | 05'1 | | 54,1 | 23.5. | 25.1 | 51,1 | . 57.1 | 96/1 | |
| | LOGBOOK | | + 9,1 | + 7,1 | +24,1 | +22,1 | *20,1 | *18,1 | 070,3 | +68.1 | +06.1 | +53,1 | .28.1 | +27.1 | |
| | | ····· •25,1 | +23,1 | +15.2 | 407.1 | +05.1 | +03.1 | *01.1 | 453,1 | +51+1 | 049/1 | +10+1 | **** | 466/1 | |
| | | +04,1 | #987 L | 475,1 | +91-1 | *89,1 | *#7,1 | 415,1 | +63,1 | 431.1 | 43012 | +28,1 | +201 | +25/1 | |
| | -LUBRICANY | | +93, ↓ | | | | | - | | - | | | | | |
| | MAGNETO | 60,1 | | | | | | | | | | | | | |
| | | | | | | | | | | | | 484.4 | | | |
| | MECHANIC IS | | 1 +55-1 | •20·1 | 410,1 | +17,1 | * 9.1 | + 7.1 | + 5,1 | | +08/1_ | 404.1 | +C4#1 | +C1/1_ | |
| | | #24/) #98/1 #96/1 | +22,1 +95,1 +50,1 | #20,1 #91,1 #54,3 | - #10,1 #89,1 | 91771 987,1 924,1 | +85,1 - +27,1 | | | 430,1 +17,1 | | | •14,1 •14,1 | | |

٠,

| | | • • • • | | | | • • | | | | • • | | | • | ~ . | • .• | |
|---|---------------|---------------------------|----------------|----------------|----------------|----------------|-----------|---------|--|----------------|---|--|-------------------|------------------|----------------|----|
| | | | | | , | Mos uni | RD LIST 1 | BY PAGE | • | • • | •• | | DATE | 1933 - 21 | ia page | |
| | | | | | | | | | | | | | | | | |
| | • | PHEUDRAULIC | *01,1 73,1 | | +31,1 | 447,1 | | | | • | | | | | | |
| | | PRECAUTIONS | | 485.1 | 483,1 | * 7,1 | . 5.2 | +14,2 | 473,1 | 14664 | :054.1 | 454.1 | 437.1 | oC5+1 | e01/1 | |
| | • • | | **** *10.1 | 404/1 | 401+1 | 441.1 | .87.1 | | | | | | _ | | | |
| | | PRECISION REFERENCE | | 73,1 489,1 | 481.1 | 1 (084 | -74-1 | 475-1 | 470-1 | -56-1 | 452.1 | | | | | |
| - | | REQUISITION | 69,2 | | 4-11-1 | #ad> f | A.A.7 | _,4,274 | | 4-4-1 | ***** | | | | | - |
| | | RESTRICTIONS | | 06>7 | | | | | | • | | | | | | |
| | | SAFETYING STRESS | 56.1 | 57+1 | | | | | | | | | • • • | | | نہ |
| | | TORQUE | 56.1 | 4311 | 07.2 | 1.60 | 05.1 | 02.1 | | 49.1 | 1111 | 10.1 | 03.2 | C5.5 | cies | |
| | | | 98,1 | 9611 | 95,1 | 94.1 | 93,1 | 91/1 . | | | | | | | | |
| | | THX UNAUTHORIZED | | 57.1 | | | | | | | | | | | | |
| _ | | VALVE | * 6,4 | #89.6 | . 6.2 | | | | | | | | | | | |
| | 3 | ABRASIVES AIRCRAFT | 17,1 | 24.1 | **** | | 4.9.1 | *18/3 | *.7.2 | 41501 | + 9/3 | * 8/1 | 4 702 | * 3/4 | 45313 | |
| | | AINGRET! | 442.1 | *22*4 | 26.1 | 2772 | 25 2 | +23 1 | 17.2 | 1371 | +05.1 | •03 Ĭ | 401 I | 453, i | +5 î . î | |
| | | | *31,1 | #1071 #30+4 | +98;3 +28,3 | *06,1 *26,3 | *04;2 | 414,3 | ************************************** | #9551 #92,1 | **9151 ********************************* | ************************************** | 48751 | 08351 07823 | 68351 67421 | |
| | | | 472,6 | #68-4 | *66.4 | *64,9 | 463.4 | +62,7 | *11.1 | | 459/3 | 45814 | 457.7 | 423+3 | 054/1 | |
| | ; | AIRFRANE | | #23+1 | +18.1 | *20,1 | 425.1 | 424,1 | | | - | | | | • | |
| | • | AUXILIARY BATTERY | 71-1 | 1 71+1 | 42.7 | 07.1 | 05.1 | 01.1 | | | | | | | | |
| - | | BRAKES | 621 | 61.3 | 59,1 | 57.1 | | **** | - | | | | | | | - |
| | | Buckling Buckling | 30,1 29,1 | | | | | | | | | | | | | |
| - | | CABIN | (7,5 | | | | | | | | - | | | | | |
| | | CAPACITY | 6.1 | | | | | | | | | | | | | |
| | | COIL | 56×1 | | - 98,1 | | | | | | | | | · | | |
| | | COUPLING | 26.1 | 25,1 | | | | | | | | | | | | |
| | | DILUTIUM DISENGAGE | 7.1 | | | • | • | | | | | | | | | |
| | | DUCTS | 66.7 | 07.4 | | | | | | | | | | | | |
| | | EJECTION ELECTRICAL | 20,1 | **** | 418,2 | * 571 | 414.1 | 445,2 | 842.2 | . 428,3 | 1.600.11 | 907;1 | +06.1 | •6524 | ice, 1 | |
| | | ELECTRICAL. | #9321 #0124 | 049,1 | +101-5 | 498,1 | +97,1 | 494,2 | -4616 | 7-033 | ·+v=)4 | 44117 | | 217 | -4674 | |
| | | EFECTBOTALE | 42,2 | 14.3 | | | | | | | | <u> </u> | | | | |
| | | ELOHGATED THE EMERGENCY | 204 | 917,2 | +07.1 | 421,4 | | _ | - | | | • | | | | |
| | | ETCHING | 9,1 | | | | | | | | | · | <u> </u> | | | |
| | | EVACUATION | | | | ••• | | | | | | | | | | |
| | | EXMAUST/TAILPIPES FAIRING | 08/1 | , | | | | | | | | | | | | |
| _ | | FITTINGS | | 87/1 | 7477 | 71:11 | 30;1 | 47/4 | 11:11 | | | | ···· | • | | |
| | | FLANGE FLAPS | 49. | | | | | | | | | | • | | | |
| | | PLARING | 43/ | | · · · · | | | | | <u> </u> | | | | | | |
| | | FORL | 61/ | 59,1 | | | | | | | | | | | | |

and the second of the second o

-

. .

.

*__

| | | | | Mas wal | O LIST I | By PAGE | | | | | DATE | 80339 21 | A PAGE | 1 |
|------------------------------|-----------|-------|------------------|--------------|--------------|---------|---------|----------|--------------------|-------------|-------|----------|---------|---------|
| EUEL ING | 64/1 | | | | | | | | | | | | - | |
| GAGES | 06/1 | | | | | | | | | | | | | |
| GEAR | 4 6179 | 59.3 | | | | | | | | | | | | |
| GROUND | 73,1 | | 64,1 | 63,1 | 62,5 | 59.1 | 1,05 | 57,1 | 35,2 | 99.1 | 90, i | | | |
| MORIZONTAL | 25,3 | | - ,, • | | ***** | | ,,,, | • • • • | | **** | | | | |
| HOUS ING | e53/3 e | 52.3 | +51,4 | 465.4 | +54.2 | | | | | | | | | |
| HYDPAUL IC | 7.7 | | 413 | 453.3 | +52-1 | +51,3 | 4:024 | | | | - | - | • | |
| IGNITUR | 9871 | | 99,1 | 03.5 | 6.50 | 4-11- | +,0,, | | | | | | | |
| NSPECT | #23·1 e | | *21.I | +20.1 | +19.1 | +10,1 | 417,1 | +14+1 | . 71.1 | +66,1 | .35/1 | 09402 | 544#1 | |
| | | | 441.1 | 426,1 | 427.1 | *20,1 | - 024,2 | -16,1 | - 15,1- | 408/1 | +07/1 | 14604 | C5/1 | |
| | | | +02,1 | *01,1 | 054,1 | 453,2 | +42,1 | +51,2 | 450,2 | ·li,i | +10,2 | •C9. 1 | €C#, 2 | |
| | | | 404/1 | *03.1 | 402,3 | +01,2 | 410,1 | 49911 | :498.1 | 077.3 | 470/1 | 495.1 | +94/3 | |
| - · · · | | | 091/1 | 490/1 | 439,3 | *80,2 - | *A7,3 | 14004 | +85,3 | 484/2 | +43,3 | 03101 | 930/2 | |
| | | | +27,1 | ·26,1 | 425,1 | +24,1 | | | | | | | | |
| INSTALL | +63/1 * | 61/2 | 460, j | +59,2 | 458,1 | +57,1 | *56,1 | +45,2 | 444.1 | 442,3 | 441/1 | •29·2 | #29/1 | |
| | +27,2 + | 26,1 | •25 <i>,</i> 1 ~ | *24,4 | +23,1 | +07,2 | 400,1 | 4:5,3 | +04,2 | #03/1 | +02,2 | #C1.3 | =54/1 | |
| | | | *50,2 | *47,3 | +11,2 | +10,1 | *09,1 | 406.3 | +07,2 | *06.1 | +74,2 | €C3.2 | +C>12 | |
| | | | +99,1 | 498.2 | 497,1 | +96,5 | 475,1 | #94,2 | +93,1 | +92,4 | +91+1 | 450+1 | 469/2 | |
| | | | #86'J . | 48571 | 484,2 | +83,1 - | ******* | ******** | ~~+2 8 ,2 ~ | *20,1" | +25,1 | *24,1 | •2>,2 ° | |
| | | 20, L | 419,1 | +18.1 | •17,2 | + 7,8 | | | | | | | | |
| ATERAL | 81.1 | | | | _ | | | | | | | | | |
| .EAK | | 94/1 | 88.1 | - | | | | | | | | | | |
| UBRICATE | 64.7 | | | | | | | | | | | | | |
| IALFUNCT (04 | 71/1 | | | | _ | | | | | | | | | |
| INIMUM | ** +72+1" | | _ | | - | | | | | | | | | |
| ICOR | 59,1 | | | | | | | | | | | | • | |
| HULTIMETER | 98,1 | | | | | | | | | | | | | |
| MACELLE | 04+1 | Oftr | | | | | | | | | | | | |
| HEGATIVE | 14+1 | | | | | | | | | | | | | |
| HFUTRAL | | 59,1 | | | | | | | | | | | | |
| NOMENCLATURE " | | 81,1 | 69.1 | | | | | | | | | | | |
| DUTLET | 23.1 | | | | | • | | | | | | | | |
| DVERHAUL | C4/1 | | 42.1 | 81/1 | 91,2_ | | 86,1 | | | | | | | |
| DXYGEN | + 5,11+ | 4/9 | | | | | | | | | | | | |
| PIGTAIL | 56,2 | | | | | | | | | | | | | |
| PITOT-STATIC | 10/1 | 17/7 | - | | | | | | | | | | | |
| PITTING PUTENTIN SETER | • 9,1 | | | | | | | | | | | | | |
| Purged | 00-1 | | | | | | | | | ; | | | | |
| PURGED DUICK-UISCJH:iECYS | 5,1 | 07,1 | | | | | | | | | | | | |
| recurrie | 79/1 | 0171 | | | | | | | | - | | | | |
| REGULATUR | | 48.2 | 76.3 | 86.4 | | | | | | | | | | |
| RESULTION RESISTANCE | | 45/3 | 70.5 | 75,4 | | | | | | | | | | |
| RFSISTANGE RINGS | 55,1 | 10.1 | | | | | | | | | | | | |
| RIMOS SEALS | | 10,1 | *10,1 | | | | 4-4 6 | | | | | | | |
| SERVICEABLE | | | | +26,2 | *24,1 | •53•1 | 450,4 | 3. | | 146-46 | .44 7 | | | |
| 3c~416ed16 | | | ec5. j | 494,1 | +45,1 | 483,1 | 4-1,1 | 430,2 | 414,1 | +8371 | +52,1 | -85,2 | +54/1 | |
| A SMM SAMERULES M | | 53, L | +51,1 | | | | | | | | | | | |
| SIMULTAMEDUSLY | 27,1 | | | | | | | | | | | | | |
| SLEEVE | 5.50 | | | | | | | | | | | | | |
| Spar | 30,2 | 2116 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

•

a

• . . .

A 4 100 F

٠.

| | | | | . Mak und | O LIST B | W BACE | | | | | DATE - | | | 4 |
|-----------------|--------|----------|---------|-----------------|----------|--------|------|------|-------|-------------|--------|---------------|------|---|
| | | | | אנוא ביוה | O F121 P | T PAGE | | | | | ANIE B | 0379 2140 | ATAE | • |
| PECIFIC IT INHS | | 407,1 | +01.1 | | | | | | | | | | | |
| TUPS | 627 | | | | | | | | | | | | • | |
| TRANDS | 55/ | i | | | | | | | | | | | | |
| TRUCTURAL | 55, | | | | | | | | | | • • | | • | • |
| R | 87. | | 85.2 | 84,5 | 83.5 | 82,2 | | | | | | | | |
| 80 | 61, | | | | | | | | | | | | | |
| ENSION | 27, | | 28,1 | | | | | | | | | | | |
| RANSCRIBE | 70, | | | | | | | | | | | | | |
| URBINE | 241 | | | | | | | | | | | | | |
| ENT | | | | | | | | | | | | • • • • | | |
| ERTICAL | 244 | | | | | | | | | • | | | | |
| OLTHETER | | 30/1 | | | | | | | | | | | | |
| ARP ING | | | | · - | | | | | | | | | | |
| INGTIP | 10* | | | | | | | | | | | | • | |
| KITEUP | 76, | | | | | | | | | | | | | |
| CCESSIAILITY | 56, | | | | | | | | | | | | | |
| CCUMULATOR | 7, | 8,2 | | | | | | | | | | | 1 | |
| DAPTER | clé | | | | | | | | | | | | | |
| DHESIVE | 23, | | | | | | | | | | | | | |
| IDNESTVE | | | 2244 | | - | | | | | | | | | |
| MBIEMT | 61° | | 23,1 | 22,1 | | | | | | | | | | |
| AFFLES | c7; | 77.60 | · · · · | | | | | | | | | | | |
| | 613 | 67.3 | | | | | | | | | | | • | |
| ARRIEKS | | 57,2 | | | | | | | | | | | | |
| LISTERS | | 30,2 | , · · | | | | | | | | | · | | |
| RAIDING" | 98, | | | | | | | | | | | | | |
| ABLE | 55, | | | | | | | | , | | | | | |
| HAIR | 26, | | | | | | | | | | | | | |
| HUCKS | 57, | | 59,3 | | | | | | | | | | | |
| OCKPIT | +06, | | | | ••• | | | | | | | | | |
| OMPOHENT | 15, | | . 68. / | 87,1 | 82.1 | 11.3 | | | | | | | | |
| ONDERSEA | 561 | | | | | | | | | | | | | |
| CHRECTUR | | 1 97.1 | | | | | | | | | | | | |
| ONTACTS | 14, | | _ | | | | | | | | | | | |
| CTHANIS SATNO: | | 1 64.1 | 7,2 | 93.1 | 68.1 | 64,2 | | | | | _ | | | |
| YCLE | •23, | 1 +81/1 | | | | | | | | | | | | |
| DEFFCTIVE | | 1 *03+1 | +15,2 | | | | | | | | | | | |
| PEFLATIUN | 59, | l . | | | | | | | | | | | | |
| EFUEL | 93) | • | • | | | | | | • | | | | | |
| EPUSTTS | 42, | 1 | | | | | | | | | | | · | |
| RATES | 66, | | • | • | | | | | | | | | | |
| IR | 90, | | | | | | | | | - | | | | |
| NG1-IF | 18, | | 84.2 | 93,4 | 19,1 | 71.1 | 74,1 | 66,2 | 45,2 | 11.1 | 10,4 | Ca, 1 | C7×1 | |
| | " C6,3 | 64,5 | 03,1 | 62.2 | 01.3 | 00,4 | 99,5 | 98,5 | 97.2 | 96/3 | 75,3 | 94/3 " | 93/1 | |
| | 92,2 | 91.4 | 90,1 | 87.2 | 88.1 | 87,4 | 45,1 | | | | | V- • | | |
| NY IRDHMET TAL | ŭÌ, | | 9,1 | 7,1 | 66.1 | 10,1 | 18,1 | | | | | | | |
| XTERIAL | | 430.2 | *14.1 | *59.1 | 442.1 | - 40 0 | | | • • • | - | | | | - |
| XT INGUISHER | | 2 43,2 | | ***** | 4-014 | | _ | | | | | | | |
| ASTENERS | | 26,3 | | | | | | | | | | | | |
| | | | er6,3 | *** | | *29,1 | | | | | | | | |
| LUSH | | 1 *1."/1 | | *04,1 | •20,1 | | | | | | 03.4 | | | |
| FUEL | (1) | 5 85,5 | 44,3 | 83,6 | 94,19 | いせょさ | .7,1 | .6,1 | 55,5 | 04,1 | 03,4 | C2,1 | 73,7 | |

ı

•

τ*

| | | | • | MOS WOM | D LIST | BY PAGE | | | | | DATE | C399 214 | ie Page | 5 |
|-----------------------|---------------|---------|--------------|---------------|---------|---------|----------|-------|--------|-------------|---------------|----------|-------------|---|
| | 71,1 | | | | | | | | | | | | | |
| FuHi S | 23.1 | | | | | | | | | | | | | |
| Grigget i 2 | | 23,2 | | | | | | | | | | | | |
| GREAST | | 43,1 | 6,1 | 5,2 | | | | | | | | | | |
| HANG4F | | 61.1 | | | | | | | | | | | | |
| HARFES\$ | | •00.4 | | | | | | | | | _ | , | | |
| HINGE | | +17/1 | | | | | | | | | | | | |
| IDEATIFY. | | 76,1 | 68,1 | 66,1 | 64.1 | 15,1 | 21,1 | 9,1 | 93,1 | | | | | |
| INFLATION | 59,1 | | | | | | | | | | _ | | | |
| INITIATE | 78.1 | | | | | | | | | | | | | |
| INLET | 70.1 | | ••• | | ••• | | | | | | | | | |
| INSTRUMENT | | _ 87×L_ | 66,1_ | 85/1 . | 84,1 | 03/1_ | 75,1 | 17/1_ | 1011 " | | | | | |
| INSULATED INTURNAL | 23,1 | 20.1 | 20.1 | | 80 | 88,2 | | | | | | | | |
| THISENTURY | 81/2 | | 20,1 | 18,1 | 59.1 | -0,2 | | | | | | | | |
| JETTISON | c7,5 | · | | | | | | | | | | | | |
| KIT | | +51-2 | | | | | | | | | | | | |
| LEGIBLE | | 33,1 | 88,1 | 82.1 | 81,1 | 80,1 | 79,1 | 78,2 | 76>1 | 75.1 | 92,1 | 90/1 | | |
| LCAO | 45,1 | | | | · • · · | : | :- * | | | | | V 4 | | |
| MAGHETIC | 66,1 | | | | | | | | | | | | | |
| MARTI:BAKER | 7/1 | | | | | | · | | | | | | | |
| MUDIFICATION | | 85.1 | | | | | | | | | | | | |
| MOISTURE | *95, 1 | •18,1 | +64,1 | +45,1 | *15,3 | *53,1 | *51.1 | 49,1 | *10*1 | *01.1 | -93 /1 | | | |
| NAVIGATION | | 28,3 | | | | | | | | ~ | | | | |
| HICKER | 43/1 | | | | | | | | | | | | | |
| NEHRAGNETIC | 56,1 | | | | | | | | | | | | | |
| NUSEMHEEF | | +24.1 | 423,2 _ | | | | | | | | | | | |
| DESTRUCTION | 72,1 | 93,6 | 84.5 | 80.00 | | | 97,4 | 17 | 4.1 | 74.0 | 73,1 | 9 | 44.9 | |
| סונ | 67,3 | | 92,5 | 91,11 94,5 | 89,4 | 441 | 7114 | 17/1 | 6,1 | 74.1 | 1371 | 71/1 | 68/3 | |
| DUTBJARD | 30,4 | | 0617 | 74,7 | | - | | | | - | | | | |
| PCINTS | | +24/1 | +22,1 | +07.2 | +04.3 | .26.1 | a25.1 | | | | | | | |
| Printing | 42/1 | | +6671 | 4(11)2 | 40-13 | | 40004 | | | | | | | |
| PRIGRITY | | 75.1 | 15, İ | | | | • | | | | • • | | | |
| Prupeller | 7,1 | | | | | | | | | | | | • | |
| PS1 | | + 8.1 | + 6,2 | | | | | | | | | | | |
| PUBLICATION - | | 69.2 | - | | | | | | | | | | | • |
| QUALIFIED | | 49.1 | 98,1 | 95,1 | 91.1 | 89,1 | 87,1 | 83.1 | 53,1 | | | | | |
| RE IT FURCED | 26,1 | | | | | | | | | . | | | | |
| REPAIR | | 43.1 | 29,1 | 24,1 | 61.1 | | | | | | | | | |
| RFPLACE_ | | +93,7 | +9515 | +53+1 | +51.2 | *30.5 | 2,450 | 46617 | .429,1 | +24,2 | +03/1 | | | |
| REPORTABLE | 11.2 | | | | | | | | | | | | | |
| REQUEST/MAINTENANCE " | 71.1 | | | | | - | | | | | | | | |
| RESCAVOIA | | 53-1 | | | | | | | | | | | | |
| HESTOUAL | 4911 | | • | | | | - | | | | | | · | |
| RESTRATITUE | 76,2 | | | | | | | - | | | | | | |
| RETAINING | | +94,3 | 44 . 4 | | 40.0 | | | | | | | | | |
| RIVITS | | 24,1 | 06.1 | 31.2 | 30.2 | | | | | | | | | |
| RETAIL: | *43,1 | | | | | | | | | | | | | |
| RI JTER | C911 | 07.1 | 05,1 | | | | | | | | | | | |


•

| | | | • | HOS WO | RD LIST | BY PAGE | | | | | DATE & | 0339 21 | ie Page | • |
|------------------------------|-------------------------|-------|----------------|----------------|----------------|-----------------|--------|-----------------|--------|----------------|----------------|---------|----------------|------|
| 4 STALER | 02,1 | | | | | | | | | | | | | |
| 4 \$1 H\$ 17G | 24/1 | 23,1 | | | | | | | | | | | | |
| 4 SEPARATUR | 24,7 | 23,6 | 1 105 | 25,3 | | | | | | | | | | |
| 4 STRUENCE | 4661 | | | | | | | - | | • | | | | • |
| 4 SERIES | | 87.1 | 82,1 | 77.1 | | | | | | | | | | |
| 4 SERVICING | 43·1 | 4741 | 464/1 | ±62,1 | . 8,4 | . 7.1 | 653 | | _ · | | | | | |
| A SEVERE | 1011 | | 06/1 | 01/1 | 95,1 | 9,1 | 7,1 | # 274 | | | | | | |
| 4 SHIFLD | | 24.1 | | 53.1 | ,,,, | *** | | | | | | | | |
| 4 SHROUD | CavS | | • | | | | | | | | | • | | |
| 4 SCFTBRISTLEO | 63'1 | | | | | | | | | | | | | |
| 4 SULVEHT | 3{:1 | 74/ | *28,2 *25,1 | #99,2 #20.1 | *98,1 *06 1 | ***1-1- | | A1A -1 | | +06,1 | | | | |
| 4 SPECIFIED | *95,1 * | | 49171 | *89;2 | | 46541 | 4112 | 48212 | 47631 | 264.1 | 404,1 | 401,1 | 444, 1 | |
| 4 STAPILIZEP | 2414 | | | | | | | ***** | | **** | | | | |
| 4 STRUT | 59,1 | | | • | | - | | | | | | | | |
| 4 SLPERVISOR | 76,1 | | | | | | | | | | | | | |
| A SURFACE A TAILSTAND | | 27:1 | 31/1. | 30/1. | | | | | | | | | | |
| 4 TEXTING | 62,1 | | | | | | | | | | | | | |
| 4 TERRIDAL | 14,1 | 42/1 | 02.2 | | | | | | | | | | | |
| • | | 17,10 | | 415;4 | 408.2 | *07,3 | | 465/3 | 004,5 | +03/4 | +02.2 | €C1/3 | *5474" | |
| | | | +51,3 | +50,4 | 449,2 | +11,3 | +10,3 | 409,3 | :038,4 | +07.5 | +06.5 | +C4+5 | +03/3 | |
| | | | +30,7 +84,4 | *98,6 *83,6 | *97,6 *31,9 | *96,1 *30,12 | *45,5 | #94,7 "#28,3 | 491,4 | +90,3 +26,5 | +89,3 425,9 | +24,9 | +87/4 +23/4 | |
| | | | 420.6 | 419.4 | 418.4 | +17,6 | + 9,4 | * 8,5 | 4 7,7 | 8 6.5 | + 5,5 | +14/8 | 093/2 | |
| | | | *90,Z | 489,1 | 426,4 | +82,4 | **1,4 | #8013 | 479,3 | +76.2 | 477.5 | 47615 | +7515 | |
| | | | * 72,6 | *71,3 | +70.2 | +69,3 | 448111 | +67,5 | *6676 | #64.1 | *63,5 | #6214 | *61/5 | |
| | | | *58,9 *26,2 | *57,9 | *56,2 | +55,9 | +54,2 | +53,2 | 445,5 | 844,4 | +43,12 | 441/4 | +29,3 | |
| TOXIC | 23,1 | 27,10 | +2012 | +25,3 | *24,3 | | | | - | | | | | |
| 4 UNSERVICEABLE | 67,2 | 86.1 | 82,1 | 81.1 | 24,1 | | | | | | | | | |
| 4 VOLT | 30/1 | | | | | | | | _ | | | | | |
| VULTAGE | 28.1 | 30,6 | 45,4 | 44,1 | 29,1 | | • | | | - | • | | | |
| 4 WANGS 4 WARPING | 72,1 457,2 4 | | +58,1 | | | | | | | | | | | |
| 5 ACETORE | 23,2 | 2211 | 42071 | | | | | | | | | | | |
| 5 APPROVED | 5,2 | | | - | | | | | | | | | | |
| 9 ASSEMBLY | | 93/2 | 492,2 | 424/1 | *52.1 | 451/1 | *99,3 | +98,3 | 4961 | 495,1 | 494112 | +27/3 | 4Z6/6 | |
| | +25,5 | | | | • | - • | •• | | | | • | • | | •••• |
| 5 CANDRY | 7.1 | | | | | | | | | • | | | | |
| 5 CONTINUITY 5 DEFRUSTING | 99,1 04,2 | | | | | | | | | | | | | |
| 5 ELEMENTS | | 91,2 | 94,6 | 93,1 | | | | | | | | | | |
| 5 HEADING | 90.1 | 53/1 | 86.1 | 01.1 | 60.1 | 79,1 | | | | | | | | |
| 5 12 SULATION | 68.5 | 24,1 | • | _ | •• | | | , | | | | | | |
| 5 INTEGRAL | 02/2 | | | | | | | | | | | | | |
| 5 ILTERVAL 5 J/CK | 93,1 | 57.1 | | | | | | | | | | | | |
| 5 Klaks | +58≠ <u>1</u> + 83≠1 | | 87.1 | | | | | | | | | | | |

C 0 HOS WORD LIST BY PAGE DATE 80339 2146 PAGE 58,2 17,1 73,1 53,1 91,1 30,2 93,1 71,2 493,1 464,3 LEVELING LIMITATIONS LIMITATE MOUNT 10 51,1 45,1 04,1 424,1 49,1 74.1 95,1 91.1 +53.1 đ UPERATUR •5Z, 1 +23,1 +15,2 PRESSURE e PUMP QUANTITY REFUELING SPACERS THECOPED 05,1 85,1 91/2 ... 87/1. 1.68 • 03/1 50/1 56/1 614/1 673/1 607/1 605/1 7/1 65/1 622/1 622/1 62/2 05/6 17/1 22/1 +23/1 +04/1 +28/1 +66,1 +56,1 +01,1 +53,1 +91,1 +89,1 +17,1 + 9,1 +25,1 +06,1 +30.1 +68,1 +03,1 +95,1 +18,1 .27.1 • TRANSPER TPANSMITTER UPHOLSTERY 02,1 __ 01,6 đ 8

H

HEADQUARTERS UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND FORT MONROE, VIRGINIA 23651



PREPARED BY: OPERATIONS DIV, DPFO

HEADQUARTERS

DATA CONTROL HOMBER 100 No FRANCET NA

UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND

FORT MONROE, VIRGINIA 23651

WCA BEC 1 7800 U RAO

Word Crit

PREPARED BY: OPERATIONS DIV, DPFO

ATOP On se 109-1

Feb 80 edition may be used

Mos-676 Skill Level 2 K1:00

CAPY OF CAPIES


| | | | • | | į | | | | | | | | | |
|----------------------------------|----------------------|---------------------------------------|---------------|--------------|-----------|---------|---------|-------------|------|-------|--------|-----------|------|-------------|
| | | | | MOS WUR | ID LÄST I | BY PAGE | | | | | DATE & | 0329 1878 | PAGE | 1 |
| TRUUBLESHOOT AXLE BLEEDING | 63,1 59,4 48,2 | 51,2 | 50,2 | . • | | | | <i>:</i> | | | • | | | |
| COMPENSATING LINKAGE | 37+1 67+1 | 69,1 | | | | | | | | | Mas | 3-67G | | |
| PEENING | 46+1 37+1 | 58,1 38,1 | | | | | | | | | | LL Les | 1012 | |
| PREUMATIC TOLFRANCES | 11,2 | 48+1 | | | | | | | | | J.U. | | | |
| CENTERLINE | 63.1 | · - | | • | } | | • | | | | | | | |
| CLEVIS | 67+1 | 69,2 71,4_ | | | | | | | | | | | | |
| COMPRESSION CONTAMINATION | 69,1 | - | | | | | | | | | | | | |
| CORD + FLOORBOARDS | 39,1 71,1 | 70,1 | 49.1 | | \$ | | | | | | | | | |
| GEARBOX | 70.5 | 71-1 | 67,1 | | Ì | | | | | | | | | |
| GRUDVES | 48,1 37,1 | | | | | | | | | | | | | |
| RACES RETRACT | 59,1 | 3111 | 52,1 | | • | | • | | | | | | | |
| SCORING | 48.1 | | | | | | | | | | | | | |
| CLEARANGE COTTER | | _59,2 | 51,1_ | | | | | | | | | | | |
| DEFECTS GRUSS | 42,1 66,1 | 39.1 | 63,1 | 62,1 | 59,1 | 56,1 | 54,1 | 50,1 | 46,1 | 44/1 | 67,1 | 66.1 | | |
| GUILLOTINE | 37/1 67/1 | | | | _ | | · · · · | | | | | | | |
| RIG | 67.3 | | | | _ i _ | | | | | • | 40. | | | |
| ENCLOSED | 70,1 56,1 | 67/1_ 54/1 | 00/1_ 52/1 | 63,1 1,05 | - 33:1- | 11.1_ | 46,1:_ | 44,2 | 42+1 | 39,1_ | Beil | | 34+1 | |
| LAP-BELTS LININGS | 37,1 48,3 | .49,2_ | | | | | | | | | | | | |
| HUNIKAN HUNIKI | 46,1 | 50,1 | | | | | • | | | | | | | |
| PARACHUTE | | 2011 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | <u> </u> | · · · · · · · · · · · · · · · · · · · | | | ŀ | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| • | | | | | | | | | , | | | | | |
| | | | | | | | | | , | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| • | | | | | | | | | | | | | | |
| • | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

. .

neadquarters

UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND

FORT MONROE, VIRGINIA 23651



ENED BATED GAMBIE

